


Boolean Networks in Life Sciences

Exercise Sheet 5: Most Permissive Semantics

Friday 5th December, 2025

Exercise 1 Consider the following Boolean network of dimension 4.




$$\begin{aligned} f_1(\mathbf{x}) &= \neg \mathbf{x}_2 \\ f_2(\mathbf{x}) &= \neg \mathbf{x}_3 \\ f_3(\mathbf{x}) &= \mathbf{x}_1 \wedge \neg \mathbf{x}_2 \\ f_4(\mathbf{x}) &= \neg \mathbf{x}_1 \wedge \mathbf{x}_2 \wedge \neg \mathbf{x}_3 \end{aligned}$$

Find all configurations reachable from 0000 under the generalised asynchronous semantics, and show that the configuration 1111 is reachable from 0000 with most permissive semantics by constructing a trace in \xrightarrow{mp} .


Exercise 2 Let $\mathcal{R}_s(\mathbf{x}) = \{\mathbf{y} \in \mathbb{B}^n \mid \mathbf{x} \xrightarrow{s}^* \mathbf{y}\}$ be the set of all configurations reachable from a configuration $\mathbf{x} \in \mathbb{B}^n$ under the semantics $s \in \{\text{sync}, \text{async}, \text{gen}, \text{mp}\}$.

Consider the following Boolean network of dimension 3, and compare the set $\mathcal{R}_s(\mathbf{x})$ for each configuration $\mathbf{x} \in \mathbb{B}^3$ and all the different semantics.



$$\begin{aligned} f_1(\mathbf{x}) &= \mathbf{x}_2 \\ f_2(\mathbf{x}) &= \mathbf{x}_1 \\ f_3(\mathbf{x}) &= \neg \mathbf{x}_1 \wedge \neg \mathbf{x}_2 \end{aligned}$$

Exercise 3 Consider the following Boolean network of dimension 3.



$$f_1(\mathbf{x}) = \mathbf{x}_1 \wedge (\mathbf{x}_2 \vee \mathbf{x}_3)$$

$$f_2(\mathbf{x}) = \neg \mathbf{x}_3$$

$$f_3(\mathbf{x}) = \mathbf{x}_1 \vee \mathbf{x}_2$$

Find all the trap spaces of f and identify the minimal ones, which correspond to the attractors of the most permissive semantics.